


STATE: Maharashtra



DATED: 31/01/2011

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.	DGET		
1. Govt. ITI, Karjat Bhisegaon, Dist. Raigad Maharashtra DGET-6/13/203/97-TC (Part File)	Cutting & Sewing	Addl. 1(0+1+0)	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-22/2/2010 SIR-23/12/2010 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 15.7.2010.
2. Govt. Tribal ITI, C/o. Post Basic, Ashramshala, Nanashi, Tal. Dindori Dist. Nashik Maharashtra DGET-6/13/23/2008-TC	Fitter	One Unit	One Unit	One Unit	One Unit	SCIR-27/5/2010 SIR-23/12/2010 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 26.08.2010.
3. Micro ITC, Plot No. 9, SV.No. 251, Bhavani Chowk, Sanja Road, Dist. Osmanabad Maharashtra DGET-6/13/22/2010-TC	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-29/7/2010 SIR-23/12/2010 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 13.10.2010.
4. Govt. ITI (Girls) Thane C/o Govt. Tech. High School Thane, Kopari Colony, Dist. Thane Pin- 400603 Maharashtra DGET-6/13/16/94-TC	COPA Cutting & Sewing	One Unit One Unit	One Unit One Unit	One Unit One Unit	One Unit One Unit	SCIR-29/5/2010 SIR-23/12/2010 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 30.7.2010.
5. Govt. ITI, Bijepar Tal-Salekasa Dist. Gondia Pin- 441916 Maharashtra DGET-6/13/7/2005-TC	Fitter	One Unit	One Unit	One Unit	One Unit	SCIR-27/4/2010 SIR-23/12/2010 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 30.7.2010.


SUNIL KUMAR
 Assistant Director Training
 Min of Labour & Employment, D.O.E. & T
 New Delhi

STATE: Maharashtra



DATED: 31/01/2011

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instd.	Std. Comm.	DGET		
6. Rajeshkumar Wadhawan ITC, Konghara Post. Pimpri Tq. Pandharkawada Dist. Yavatmal Maharashtra DGET-6/13/10/2010-TC	Welder	One Unit	One Unit	One Unit	One Unit	SCIR-26/5/2010 SIR-23/12/2010 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 26.08.2010.
	Dress Making	One Unit	One Unit	One Unit	One Unit	
7. Amrut ITC, 'C' Dasara Chowk, Tal. Karveer, Dist. Kolhapur Maharashtra DGET-6/13/20/2010-TC	Draughtsman Mech.	One Unit	One Unit	One Unit	One Unit	SCIR-23/7/2010 SIR-23/12/2010 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 13.10.2010.
8. Dr. Zakir Husain ITC, AT/PO. Anwa, Tal. Bhokardan, Dist. Jalna Maharashtra DGET-6/13/29/2010-TC	Electrician	One Unit	One Unit	One Unit	One Unit	SCIR-27/5/2010 SIR-11/1/2011 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 24.12.2010.
9. Govt. ITI, Igatpuri, Dist. Nashik Maharashtra DGET-6/13/121/97-TC (Part File)	MMV	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-22/2/2010 SIR-11/1/2011 w.e.f. Aug 2011 * This clears case kept pending in the meeting held on 26.08.2010.
10. Vikram Shiksan Santha New ITI, Pathrot Tq. Acholpur Dist. Amravati Maharashtra DGET-6/13/26/2010-TC	Fitter	One Unit	One Unit	*	*	SCIR-16/8/2010 SIR-11/1/2011 *S/D is requested forward verification certificate of working condition of old DGE&T trade expert that these machines are worth for imparting skill training as per Letter no. DGET-12/1/2010-TC dt. 07.12.2010 and send to DGE&T HQRS.

-2-

Assistant Director Training
 Ministry of Labour & Employment, D.G.E. & T.
 New Delhi

STATE: Maharashtra



DATED: 31/01/2011

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.	DGET		
11 Govt. ITI, Koregaon, Tal- Koregaon Dist. Satara Pin- 415501 Maharashtra DGET-6/13/78/99-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-7/10/22010 w.e.f. Aug 2011
12 Parvati ITC, Khomal Road, Magalwedha, Tal Magalwedha Dist. Solapur Maharashtra DGET-6/13/54/2009-TC	Electrician MMV	Addl. One Unit Addl. One Unit	- -	Addl. One Unit Total 2(1+1) Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1) Addl. One Unit Total 2(1+1)	DIR-24/11/2010 w.e.f. Aug 2011
13. Gourishankar Education & Charitable Trust's Gourishankar ITC, Plot. No. 989/990, NH-4, Near Reliance petrol Pump AT/P.O. Limb Dist. Satara Pin- 415415 Maharashtra DGET-6/13/26/2009-TC	Machinist Mech. consumer Electronics Fitter	Addl. One Unit Addl. One Unit Addl. One Unit	- - -	Addl. One Unit Total 2(1+1) Addl. One Unit Total 2(1+1) *Rejected	Addl. One Unit Total 2(1+1) Addl. One Unit Total 2(1+1) *Rejected	DIR-4/10/2010 w.e.f. Aug 2011 *Rejected as "Addl. tools for Welder trade" not available as per NCVT norms.
14 Matoshri Mangola Umathe ITC, Jalalkheda, Narkhed Dist. Nagpur Maharashtra DGET-6/13/5/2011-TC (New Pvt.)	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)	* *	* *	SCIR-29/9/2010 *S/D to forward the meter sealing report and Electrical load connection papers on stationary of Electrical Deptt. of the State alongwith the latest Electrical bill.

-3-

Director Training
 Ministry of Labour & Employment, India
 New Delhi

STATE: Maharashtra



DATED: 31/01/2011

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
15 Govt. ITI, Lonar Dist. Buldhana Maharashtra DGET-6/13/107/99-TC	Mech. Com. Hardware	One Unit	One Unit	One Unit	One Unit	SCIR-29/4/2010 SIR-23/12/2010 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 15.06.2010.
	COPA	One Unit	One Unit	One Unit	One Unit	
	COPA	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
	Fitter	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
16 Dhandai Mata Education Society's ITC, Amalner At-Dheku Sim Road, Dist. Jalgaon Maharashtra DGET-6/13/74/2009-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-21/10/2010 w.e.f. Aug 2011
	Electrician	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
17 Govt. ITI, Ambernath Juna Bhendipada Kalyan Badlapur Road Dist-Thane Pin-421501 Maharashtra DGET-6/13/65/99-TC	Mech. Maintance Chemical Plant	One Unit	One Unit	*Rejected	*Rejected	SCIR-8/6/2009 *Rejected because of two inspections in the same session.
	Attendant Operator Chemical Plant	One Unit	One Unit	*Rejected	*Rejected	
18 Nazara ITC, Plot No. 4 to 12, Rajnagar Colony, At. Chakapur Tal. Saoner, Dist. Nagpur Maharashtra DGET-6/13/7/2011-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-30/9/2010 w.e.f. Aug 2011
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	

Smit
 Assistant Director Training
 Ministry of Skill Development & Entrepreneurship, Govt. of India
 New Delhi

STATE: Maharashtra



DATED: 31/01/2011

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.	DGET		
19. Smt. Bhagirathi Gondu Zarkhande, Varadism, Siddnivinayak ITC, Kanhale Road, Bhusawal Dist. Jalgeon Maharashtra DGET-6/13/2/2011-TC (New Pvt.)	Fitter	One Unit	One Unit	One Unit	One Unit	SCIR-4/10/2010 w.e.f. Aug 2011 *S/D should ensure joining of instructors before start of session.
	Electrician	One Unit	One Unit	One Unit	One Unit	
20. Balwantrao Chavan ITC, Pachpimpali, Tq. Biloli Dist. Nanded Maharashtra DGET-6/13/3/2011-TC (New Pvt.)	COPA	One Unit	One Unit	*Rejected	*Rejected	SCIR-22/9/2010 *1. Bills & Licence for S/Ws not available. 2. Workshop space is not as per NCVT norms.
	Electrician	One Unit	NR	NC	NC	
	Architectural Assistant	One Unit	NR	NC	NC	
21. Swami ITC, Malegeon, Tal. Malegaon Dist. Nashik Maharashtra DGET-6/13/1/2011-TC (New Pvt.)	COPA	One Unit	One Unit	One Unit	One Unit	SCIR-6/10/2010 w.e.f. Aug 2011
22. Navyuvak Vidya Prasarak Mandial Dambhurni Sanchalit ITC, Tal-Yawai Dist-Jalgaon Pin425302 Maharashtra DGET-6/13/23/99-TC	Fitter	Addl. One Unit	-	Addl. One Unit Total 4(2+2)	Addl. One Unit Total 4(2+2)	DIR-15/12/2010 w.e.f. Aug 2011
23. Jijau Shaikshenik & Bahudeshiya Saunstha Sanchalit ITC, Taker Khare Tal Amalner Dist. Jalgaon Maharashtra DGET-6/13/27/2008-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-21/10/2010 w.e.f. Aug 2011
	Fitter	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	

-5-

Signature: *S. Sunil*
 S. SUNIL KHANDE
 Assistant Director Training
 Min. of Labour & Employment, D.G.E. & T.
 Government of India
 New Delhi

STATE: Maharashtra



DATED: 31/01/2011

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
24. Indira ITC, Dewade, Dist. Chandrapur Maharashtra DGET-6/13/4/2011-TC (New Pvt.)	Electrician	One Unit	One Unit	*	*	SCIR-27/9/2010 *S/D to forward the meter sealing report alongwith latest Electricity bill in the name of ITC.
	Fitter	One Unit	One Unit	*	*	
25. Mauli Shikshan Prasarak Mandal's ITC, Tondar, Tq. Udgir Dist. Latur Maharashtra DGET-6/13/8/2011-TC (New Pvt.)	Wireman	One Unit	One Unit	*	*	SCIR-20/9/2010 *S/D to forward the latest Electricity bill in the name of ITC.
	Fitter	One Unit	One Unit	*	*	
	Welder	One Unit	NR	NC	NC	
	Mech. Tractor	One Unit	NR	NC	NC	
	Cutting & Sewing	One Unit	NR	NC	NC	
Electrician	One Unit	NR	NC	NC		
26. Gajanan Prasad ITC, At. Girad, Tal. Samudrapur, Dist. Wardha Maharashtra DGET-6/13/6/2011-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-6/10/2010 w.e.f. Aug 2011 * S/D is requested to forward verification certificate of working condition of old DGET trade expert that these machines are worth for imparting skill training as per syllabus of CTS trade for which it has been purchased and for how many years these machines will be useful as per letter no. DGET-132/1/2010-TC dt. 7.12.2010 and send to DGET Hq.
	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Fitter	2(1+1)	2(1+1)	*	*	

-6-

सुनील कुमार IS/IML KSL/MAA
सहायक निदेशक प्रशिक्षण / Assistant Director Training
श्रम एवं रोजगार विभाग, नई दिल्ली, भारत
Min. of Labour & Employment, D.G.E. & T.
भारत सरकार / Govt. of India
नई दिल्ली / New Delhi

STATE: Maharashtra



DATED: 31/01/2011

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.	DGET		
27 Govt. ITI, Dhahora Dist. Gandchiroli Maharashtra DGET-6/13/228/97-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-26/7/2010 w.e.f. Aug 2011
28 Govt. ITI, Guhager, Behind Niramay Hospital AT- Ranavi Guhager Dist. Ratnagiri Pin- 415703 Maharashtra DGET-6/13/54/97-TC	Electrician	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-1/12/2010 w.e.f. Aug 2011
29 Govt. ITI, Plot. No. P-1, MIDC, Pandharpur Road, Mangalwedha Dist. Solapur Pin- 413305 Maharashtra DGET-6/13/74/99-TC	MMV Electrician	Addl. One Unit Addl. One Unit	- -	Addl. One Unit Total 2(1+1) Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1) Addl. One Unit Total 2(1+1)	DIR-12/10/2010 w.e.f. Aug 2011 *S/D is requested to ensure joining of instructors before start session.
30. Govt. ITI, Shirala Dist. Sangli Pin- 415405 Maharashtra DGET-6/11/29/85-TC	COPA	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-28/10/2010 w.e.f. Aug 2011
31. Govt. ITI, Mandangad Dist. Ratnagiri Pin- 415203 Maharashtra DGET-6/13/58/97-TC	Welder Electrician	Addl. One Unit Addl. One Unit	- -	Addl. One Unit Total 2(1+1) Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1) Addl. One Unit Total 2(1+1)	DIR-25/7/2010 w.e.f. Aug 2011
32. Govt. ITI, Malegaon (B.K.) Tal-Baramati Dist. Pune Pin- 413115 Maharashtra DGET-6/13/179/97-TC	COPA	Addl. One Unit	-	*	*	DIR-17/12/2009 *Bills & licence copy of S/Ws not attached. S/D is requested to send & clarify.

-7-

Smit
सुनील कुमार / Assistant Director Training
श्रम एवं रोजगार विभाग / Ministry of Labour & Employment, D.C.E. & T.
भारत सरकार / Government of India
नई दिल्ली / New Delhi

STATE: Maharashtra




DATED: 31/01/2011

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instrt.	Std. Comm.	DGET		
33. Govt. ITI, Umri Dist. Nanded Pin- 431807 Maharashtra DGET-6/13/13/2007-TC	Mech. RAC	One Unit	One Unit	One Unit	One Unit	SCIR-21/9/2010 w.e.f. Aug 2011
	Hospital House Keeping	One Unit	One Unit	One Unit	One Unit	
	Health sanitary Inspector	One Unit	One Unit	One Unit	One Unit	
	Physiotherapy Technician	One Unit	One Unit	One Unit	One Unit	
	COPA	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
	Mech. Repair & Maintenance of Heavy Vehicle	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
34. Bhaskarrao Galande Patil ITC, Ashoknagar, Tal. Shrirampur, Dist. Ahmednagar Maharashtra DGET-6/13/53/95-TC	MMV	One Unit	One Unit	*	*	SCIR-9/10/2010 *The Electrical load connection/ Bill is in the name of Sugar factory. S/D to forward the Electrical load connection papers & Electricity bill in the name of ITC.
35. Rajmata ITC, AT/PO. Khanpur Tal: Bhudargad Dist. Kolhapur Pin- 416209 Maharashtra DGET-6/13/61/2009-TC	Electrician	One Unit	One Unit	One Unit	One Unit	SCIR-24/7/2009 SIR-13/1/2011 w.e.f. Aug 2011 *This clears case kept pending in the meeting held on 30.11.2010.
	Welder	One Unit	One Unit	One Unit	One Unit	

-8-


SUMIT KUMAR
 Assistant Director Training
 Min. of Labour & Employment, D.G.E. & T.
 भारत सरकार / Govt. of India
 नई दिल्ली / New Delhi

STATE: Maharashtra



DATED:

31/01/2011

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instit.	Std. Comm.	DGET		
36 Jagdamba ITC, Geoai, Tq. Geoai Dist. Beed Pin-431127 Maharashtra DGET-6/13/104/97-TC	COPA	One Unit	One Unit	*Rejected	*Rejected	SCIR-20/9/2010 *Rejected as the COPA lab is in two separate rooms of smaller area in place of a single room of 70.0 Sqmtr.
	Mech. Diesel	One Unit	NR	NC	NC	
37 Kothale ITC, Dahegaon Saoner Road, Dist. Nagpur Maharashtra DGET-6/13/77/2009-TC	Electrician	Addl. One Unit	Addl. One Unit	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	SCIR-30/9/2010 w.e.f. Aug 2011 *Lathe machine bill not enclosed. S/D to clarify.
	Fitter	Addl. One Unit	Addl. One Unit	*	*	
	Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
38. Govt. ITI, Khed (Rajgurunager) Dist. Pune Pin-410505 Maharashtra DGET-6/13/84/97-TC	Painter (G)	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	DIR-19/11/2010 w.e.f. Aug 2011
	COPA	Addl. One Unit	-	Addl. One Unit Total 2(1+1)	Addl. One Unit Total 2(1+1)	
39. Siddhiivinayak ITC, Ozar (Mig), Opp. Gaykhe Petrol Pump, Agra road, Tal. Niphad, Dist. Nashik Pin-422206 Maharashtra DGET-6/13/11/97-TC	Fitter	Addl. One Unit	Addl. One Unit	*	*	SCIR-7/10/2010 *Lathe machine is old as per bill enclosed & sale of deed enclosed. S/D is requested to send & clarify it and send verification certificate of working condition of old machines from DGET trade expert as per DGE&T Letter No. DGET-12/1/2010-TC dt. 07.12.2010 and send to DGE&T HQRS.

-9-

सुनील कुमार
सहायक निदेशक (शिक्षण) / Assistant Director Training
श्रम एवं रोजगार विभाग, सी. जी. ई. टावर, ई.
Min. of Labour & Employment, D.G.E. & T.
भारत सरकार / Govt. of India
नई दिल्ली / New Delhi